


5480 Router Optical Port Module



5480 Router Optical Port Module



The CompactLogix 5480 controllers come with these features for use in Windows-based applications: • Embedded Ethernet port to connect the COS to an EtherNet/IP network or Enterprise network.




The CompactLogix 5480 controllers are part of the Logix 5000 family of controllers. The controllers are real-time controllers with Windows 10 IoT Enterprise commercial operating system (COS) running in ...



Logix performance and a commercial operating system in a single platform. The Allen-Bradley® CompactLogix™ 5480 Controller offers the benefits of Logix control with Windows®-based computing.



The Compact 5000 I/O modules are installed to the right of a CompactLogix 5380, Compact GuardLogix 5380, or CompactLogix 5480 controller and require removable terminal blocks (RTBs) to connect ...



An SFP (Small Form-factor Pluggable) is a compact, hot-pluggable transceiver module that allows networking equipment — including switches, routers, servers, and media converters — to ...




CompactLogix™ 5480 controllers are real-time controllers with Windows 10 IoT Enterprise running in parallel to the Logix control engine. Our CompactLogix 5480 uses the same re-architected control ...



Read this document and the documents listed in the additional resources section about installation, configuration, and operation of this equipment before you install, configure, operate, or maintain this ...



Get the highest quality, performance-leading optical transceivers for any network architecture. Find the transceiver model to fit your network.



Using the products in this configuration allows users to connect their CompactLogix 5480 controllers to third party OPC UA clients without the need for external software or hardware.



With a commercially available CPU and a Windows 10 IoT Enterprise operating system running independently of the Logix control engine, it provides a high-performance architecture with the ability ...



The CompactLogix 5480 controller provides power to a CompactLogix 5480 system via RTBs that are connected to external power supplies and installed on the controller.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

