



## AP power distribution box dimensions



## AP power distribution box dimensions



Take a step up from simple surge protectors with this metered rack APC power distribution unit. The PDU contains six IEC 320 C13 and 12 IEC 320 C19 outlets that provide power to your rack-mounted ...



Input connection type: NEMA L21-30P, Output connections: 36x IEC 320 C13 6x IEC 320 C19 2x NEMA 5-20R. Cable length: 1.83 m, Certification: CSA C22.2 No. 60950, UL 60950-1. Nominal input voltage: ...



Display details current, power, and voltage measurements and offers local user access. An environmental monitoring port for external temperature/humidity monitoring is available (sensor sold ...








Structured Cabling System

Nominal input voltage: 208 V, AC input frequency: 50 - 60 Hz, Nominal output voltage: 208 V. Dimensions (WxDxH): 56 x 44 x 1791 mm, Weight: 7.56 kg. Publication date: 28-FEB-2022. Prints or ...



APC Basic Rack PDUs provide reliable power distribution via a single input with multiple output receptacles and distributes power from low-amperage, single-phase circuits to higher-power, three ...

	<p>AP6020A - APC NetShelter Basic Rack PDU, 0U, 1 phase, 3.3kW, 100-240V 20A or 200-240V 16A, 13 C13 outlets, C20 inlet.</p>
	<p>Number of power socket outlets 16 IEC 60320 C13 Conformance</p>
	<p>The APC Metered Rack Power Distribution Unit (PDU) distributes power to devices in the rack. It has a sensor that measures the current that it and its attached devices use.</p>
	<p>The Schneider Electric Rack Power Distribution Unit (PDU) distributes power to devices in a rack. The Rack PDU measures the load of the PDU, phase, banks, and each individual outlet.</p>
	<p>APC Metered Rack PDU ZeroU 2G - Power distribution unit (rack-mountable) - AC 100/120 V - 1920 VA - Ethernet 10/100, RS-232, USB - input: NEMA L5-20 - output connectors: 24 - 0U - black - for P/N: ...</p>

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

