

## Columbia LC Multimode Pigtail Specifications



✓ TELECOM CABINET

✓ BRAND NEW ORIGINAL

✓ HIGH-EFFICIENCY

## Columbia LC Multimode Pigtail Specifications



Our 12 strand LC-UPC Multimode Fiber Pigtail Kits are available in standard glass, utilize color coding and perform to meet TIA-568-C.3 standards.



Manufactured using OptoSpan Premium OM3 fiber, standard jacket Fiber Pigtail is designed for light to medium duty indoor applications such as data-center racks and desktop/network connections.



6 Strand 900um Pigtail, OM4 50/125 Multimode, LC Connectors 6 strands of OM4 50/125um multimode fiber 900um tight buffer construction Corning Clearcurve bend-Insensitive fiber Pre-installed LC/UPC ...



CommScope engineers and manufactures a complete line of high quality fiber pigtails



nd Pigtails in a wide selection of fiber types, connector options, cable co. cable Telcordia, AN. I/TIA, and IEC industry standards. Our total quality process includes 100% t. I inspections . or contaminants and ...



900um Tight Buffered Multimode Fibre in 50/125 OM3 and OM4. LC to Open Ended Fibre ready for splicing. Insertion Loss: <0.3dB Return Loss: >20dB



All connector types are available up to 144 count fiber cable, in custom colors and lengths. Options include identification labels, pulling eyes and spools for long assembly lengths.



Corning patch cords and pigtails can be ordered in five easy steps. The steps involve the selection of connector(s), fiber count, fiber type, cable type, and length.



900um Tight Buffered Multimode Fibre in 50/125 OM3 and OM4. LC to Open ...



6 Strand 900um Pigtail, OM4 50/125 Multimode, LC Connectors 6 ...



Fiber pigtails are made of high-quality, high-performance fiber and connectors and when combined with correct fusion splicing practices, offer the best performance possible for fiber optic cable ...



This LC pigtail is a multimode cable with high-grade LC UPC fiber optic connector on one end, another end unterminated. This series of LC pigtail Assemblies are available to configure single mode or ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

