

Configuration Scheme for Smart PDU47U




Configuration Scheme for Smart PDU47U



KPMDU-xx-xx-xx-2424-3-32-V, KPMDU-xx-xx-xx-2424-3-16-V, KPMDU-xx-xx-xx-2424-1-32-V



Once the PDU gets its IP configuration via the network's DHCP server, its IP address/web service can be discovered using the Bonjour/Avahi/mDNS service. You can also use the front panel display to ...



Configuration is carried out via a web browser and, depending on the operating mode, locally on the SmartPDU itself (operating mode: Main Device) or on a central instance such as the "SiteManager" ...



You can configure the smartPDU 36 or smartPDU 48 main breaker by adjusting the levels of the various current conditions that will trip the breaker. Current levels are set as multiples of the main breaker's ...



This page allows you to view the status of the Inlet population, the status of the Line and the status of the Phase, as well as the ability to modify the Inlet name and configuration threshold ...



Configuration is carried out via a web browser and, depending on the operating mode, locally on the SmartPDU itself (operating mode: Main Device) or on a central instance such as the “SiteManager” ...



The Users section allows you to configure the various Read, Write, and Trap communities for SNMP services. You can also configure the authentication types and encryption methods used for the ...



Example: To change PDU IP configuration to manual, send the following two strings as cmd parameter to the endpoint. The first command sets up all the parameters for manual mode. The second ...



Discover robust PDUs for optimum power distribution, reliability and simple integration. Calibrated and with integrated rack monitoring.



The SNMP/Thresholds configuration page is used for setup and maintenance of all settings required to enable SNMP support, and to provide access to the trap configuration pages.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

