


# **FTTR Outdoor Constant Temperature Cabinet High-Precision Import**



## FTTR Outdoor Constant Temperature Cabinet High-Precision Import



No matter what your application, LongXing has there sources and experience to understand the requirement and to design and build a product to meet the most stringent standards.



The cabinet and door are insulated and sealed for precise humidity and stability. Used in a variety of biological life science, clinical storage, laboratory testing, and other medical applications.



This air conditioner is a refrigeration product independently developed for the cooling of communication cabinets, which is suitable for applications where the internal heat of the cabinet is large, the internal ...



Yuanyao, as one of the leading temperature and humidity chamber suppliers in China, specializes in providing high-precision constant temperature and humidity chambers for customers from different ...



Provide your technical requirements and our team will prepare a tailored recommendation and quotation. Have a question? Let's talk. Whether it's a new project, technical support, or general enquiry, our ...




To use high efficiency air-conditioning for battery refrigeration, to make sure battery is always in ideal working environment. Waterproof and dust-proof structure, the protection grade is IP-55 which meets ...



FTMRS SOLAR specializes in photovoltaic power generation, solar energy systems, lithium battery storage, photovoltaic containers, BESS systems, commercial storage, industrial storage, PV ...



An insulated enclosure consisting of a temperature control device, heater and/or cooling coils, doors, shelves or racks. It is designed to heat or cool chemicals, reagents and laboratory ...



Shop high-quality constant temperature humidity cabinets for reliable storage. Perfect for electronics, cigars, and lab specimens. Precision and control.



Model KBF-S ECO 240 | Constant climate chambers with environmentally friendly thermoelectric cooling Temperature range: 0 °C to +70 °C (max. 28 °C under ambient temperature)

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

