



Flame-retardant optical cable winding tubes available for immediate shipment and custom manufacturing process



Flame-retardant optical cable winding tubes available for immediate



An isolated fire can develop into a large fire due to the rapid flame spread along cable communications. Our InFire Rated cables are designed to mitigate that risk and increase safety along the cables.




Corning FREEDM® loose tube gel-free riser cables are flame-retardant, indoor/outdoor, riser-rated cables designed for interbuilding and intrabuilding backbones in aerial, duct and riser applications.



CPR fire-resistant optical cables with Euroclass Dca, Cca, and B2ca classifications. Safety and performance for critical applications.



Cable damage may occur if installation temperature limits are exceeded; therefore, Prysmian Group recommends storing I/O cables in appropriate temperature conditions ≥ 24 hours prior to placement.



This FireTuf fibre range is fully compliant with fire resistant standards IEC 60331-25 and flame retardant standards IEC 60332-2-3-24C, guaranteeing the cables circuit integrity and performance in the event ...



AFL's indoor/outdoor flame-retardant Wrapping Tube Cable with SpiderWeb Ribbon® (SWR) offers high fiber density, flexibility, and easy installation. Engineered for high-performance networks in space ...



The GYTZS flame-retardant optical cable is designed for high-reliability outdoor deployments in fire-risk environments. Its construction begins with color-coded optical fibers housed in high-modulus, ...



Find your flame-retardant optical cable easily amongst the 51 products from the leading brands (LEMO, LAPP, SAB, ...) on DirectIndustry, the industry specialist for your professional purchases.



Beginning with optical ground wire (OPGW), introduced in 1984 as AFL's flagship product, the line now spans to cabling solutions being used in the world's harshest environments, including those above ...



Flame-retardant (FR) RI Wrapping Tube Cable (WTC) with SpiderWeb Ribbon (SWR) is a high-density fiber optic ribbon cable intended for inside plant where riser-rated products are required.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

