

# How to calculate the dB of an optical splitter



## Overview

The formula for the theoretical loss for each output port of a splitter with N output ports is: Theoretical Split Loss (in dB) =  $10 * \log_{10}(N)$  Where: N is the number of output ports the splitter has (e., 2 for a 1x2 splitter, 4 for a 1x4, 8 for a 1x8, 32 for a 1x32, etc. Calculate split loss, excess loss, and terminations for any ratio quickly today. See power budget impact instantly, then download a CSV or PDF summary. Use  $2 \times N$  when two inputs feed the same distribution stage. Common values: 2, 4, 8, 16, 32, 64. It's inherent, unavoidable, and directly related to the number of times you split the signal. Let's start with the simplest part: the ideal, theoretical loss caused purely by dividing the light equally among N paths. Splitter stages Connector pairs Splice points Launch power (dBm) Receiver. dB is the ratio of two powers. For example, for the loss (attenuation) in a segment of optical fiber we have the value at the input of the segment and at its output. 5-3 dB depending on split ratio and technology. 5 dB of insertion loss, the power at each output would be: 0 dBm - 10.

## How to calculate the dB of an optical splitter



Calculate optical splitter insertion loss for PON, FTTH, and fiber distribution networks. Design passive splitter cascades for GPON, XGS-PON, and EPON systems.



The calculation uses logarithms because optical power is measured and calculated using the decibel (dB) scale, which is logarithmic. The formula for the theoretical loss for each output port ...



Insertion loss tells you how much weaker the signal becomes after passing through the splitter. Let's say you have a laser output at 0 dBm (which is 1 milliwatt of optical power). If you use a ...



One of the most valuable uses of optical splitters is to determine splitter loss. This loss occurs because the signal level decreases as the signal is divided into two or more outputs.



Free GPON & FTTH fiber splitter calculator. Instantly compute optical power loss for PLC & FBT splitters with dual cascade support. Used by ISP engineers worldwide.




Estimate splitter, fiber, connector, and splice loss with this fiber optic splitter loss calculator. Check margin fast, plan cleaner links, and build smarter.



Optical Splitter Loss Calculator Calculate split loss, excess loss, and terminations for any ratio quickly today. See power budget impact instantly, then download a CSV or PDF summary.



Enter the optical input power, additional loss, and select a PLC splitter or tap ratio to estimate the output power (in dBm) on each branch.



Here's a table of estimated splitter attenuation characteristics. It should be noted that this table is applicable for fused optical splitters (FBP) and of course does not pretend to absolute ...



Splitter loss values are "Typical" and include a connector in and out. These values are approximate and should not be exceeded by more than 1-1.5 dB, which could indicate dirty connectors, bad splices, or ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

