

Huijue Fiber Optic Pigtail OS2LC



Huijue Fiber Optic Pigtail OS2LC



Connect singlemode networks easily with our 6-pack of LC UPC OS2 pigtails. Built with a bend-insensitive LSZH jacket and Corning glass for low optical loss.



This is a high-quality singlemode OS2 9/125 μ m fiber optic pigtail featuring ...



This LC/UPC simplex single-mode pigtail is designed for reliable termination and splicing in optical communication systems. It features an LC/UPC connector with ultra-physical contact (UPC) polish, ...




The LC Simplex to Blunt Single-mode (OS2) Splice-On Pigtail provides a dependable solution for terminating 900 μ m buffered fiber. This 2-meter assembly features a factory-terminated LC connector ...



Pigtails are used for non-permanent connections in patch panels, transmission ...



We carry FO pigtailed with a length of 2.0 m in the fiber types OS2 (singlemode) and OM1 to OM5 (multimode) with all common connector types.



FS fiber optic pigtailed offer a fast way to make fiber optic communication devices in the field by fiber splicing, fully manufactured and tested by industrial standards.




Individually packaged in a plastic bag. Max. Insertion Loss.



Pigtailed are used for non-permanent connections in patch panels, transmission equipment etc. Factory assembled pigtailed allow for high quality termination of a network.



The OS2 Bend insensitive fiber optic pigtailed have less attenuation when bent or twisted than traditional fiber optic pigtailed, making installation and maintenance more efficient.



This is a high-quality singlemode OS2 9/125µm fiber optic pigtail featuring LC/UPC connectors. Built with premium zirconia ferrules and durable composite hardware, these pigtailed deliver excellent optical ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

