

## Lebanon-certified 2 5G optical transceiver module



From standard **1U** to **8U** sizes to

fully customized **Non-standard** enclosures.



## Lebanon-certified 2 5G optical transceiver module




The transceiver consists of three sections: a FP laser transmitter, a PIN photodiode integrated with a trans-impedance preamplifier (TIA) and MCU control unit. All modules satisfy class I laser safety ...



Featuring low power consumption, this industrial optic transceiver provides 1GBASE Ethernet connectivity options for Gigabit Ethernet, Telecom and Data Centers, suitable for both ...



JIAXUN JS-SM312G-20C SFP 2.5G Duplex LC Optical Transceiver Module (SMF, 1310nm, 20km, LC, DOM) The JS-SM312G-20C SFP transceivers are high performance, cost effective modules ...




Compatible optical transceivers, DAC, and AOC cables for enterprise networks, data centers, ISP infrastructure, and FTTH deployments across Lebanon and the Middle East.



The transceiver consists of three sections: a FP laser transmitter, a PIN photodiode integrated with a trans-impedance preamplifier (TIA) and MCU control unit. All modules satisfy class I laser safety ...



ETURBEV 2.5G Gigabit Optical Module Multi-Mode Dual Fiber SFP-2500M-850nm 300m Dual LC Port (2.5G 1310m 10km)



FS 2.5G SFP solution with low power consumption provides an ideal connection option for 2.5G Ethernet over Cat5e cable, switch to switch interface, and AP/Router interface.



Optcore 2.5G SFP transceivers are an industry-standard small form-factor pluggable module for SONET OC-48, SDH STM-16 (2488 Mbps) applications. These SFP modules comply with the SFP MSA, CE, ...



The transceiver consists of three sections: a DFB laser transmitter, a PIN photodiode integrated with a trans-impedance preamplifier (TIA) and MCU control unit. All modules satisfy class I ...



The transceiver consists of three sections: a DFB laser transmitter, a PIN photodiode integrated with a trans-impedance preamplifier (TIA) and MCU control unit. All modules satisfy class I laser safety ...



We carry the complete spectrum of optical modules — from 1G SFP modules for access-layer switches to 400G QSFP-DD for hyperscale spines. Every unit is individually tested and pre-coded for plug-and ...



The transceiver consists of two sections: The transmitter section incorporates a FP laser. the receiver section consists of a PIN photodiode integrated with a trans-impedance preamplifier (TIA). All ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

