



SMB AI-Systems & High-Speed Interconnect


Multimode fiber to 422





Multimode fiber to 422

	<p>Thor Fiber now has a line of Multi-Serial (RS-232 / RS-485/ RS-422) to Fiber Optic Converters that transmit a serial protocol over fiber. Fiber Transmission extends a serial signal up to 120km.</p>
-----------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	<p>The unit extends the maximum distance of any RS232/RS485/RS422 signal up 1.2 miles (2.0 kilometers) using multimode fiber optic cable. The unit is enclosed in a rugged steel housing.</p>
-----------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	<p>DY-5877M fiber multi-mode fiber converter: The main function of the DYMEC Serial Link is the photoelectric conversion of RS-232/RS-485/RS-422 signals. This series of products realizes long ...</p>
-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	<p>Our rugged, industrial-grade, point-to-point RS232 / RS485 / RS422 serial to fiber optic converters work in pairs to extend serial signals (RS232, RS485, RS422, and TTL) over long distance.</p>
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	<p>ULI-212CI - Triple Isolated RS-232/422/485 (Terminal Block) to Single Mode Fiber Converter (ST Connectors). DIN Rail Mounted. Multi-mode Fiber Optic to RS-232/422/485 Converter.</p>
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Network Solutions Industrial Ethernet Industrial Media Converters Industrial RS-232/422/485 to Multimode Fiber Media Converter



Extend RS232/RS422/RS485 over multimode fiber for point-to-point or multipoint industrial communication. Communicate signals in a point-to-point or ring topology. Ideal for fiber applications

...



The DL422 is a RS422 4-wire to multimode fiber optic converter for point-to-point connections. For adapter you can make the choice between ST, SC or SC-BIDI. BIDI technology means that you need

...



Very High speed Ruggedized ST Fiber-to-RS422 Interface Converter. Typical operating speeds are up to 5 Mbps for RS422 fiber conversion. When operating in RS422 Mode, the converter is configured ...



The FRM220-SERIAL-ST002 provides a fiber converter solution to extend RS-232 or RS-485/422 transmission distance up to 2km over multi-mode 62.5/125um or 50/125um fiber. The converter is ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

