


# Swiss CE certified ADSS optical cable 8 cores



## Overview

High-strength FRP-reinforced ADSS fiber optic cable for aerial installation. 25-year warranty, -40°C to +70°C range, ISO/CE certified. Payment Terms: 30%TT as deposit, 70%Balance before shipping. Standard marking includes company name, fiber cable name, core count (N\*cores), fiber type (G. 652D), year, and length (XXXXm). 652D" indicates ITU-T Rec. 652 single mode optical. AFL-ADSS® (All-Dielectric Self-Supporting) fiber optic cable is a non-metallic cable which supports its own weight without the use of lashing wires or messenger cables. This type is also known as ADSS-DQ (ZN)2Y (ZN)2Y (VDE 0888). Specifications are for product as supplied by Prysmian Group: any modification or alteration afterwards of product may give different result. The information contained within this document must. lent optical performance. This is proven through the cable's unique second coating and stranding technology, which provides the fibers with enough space and bendin sure a long service life. 9mm with 8 fibers (2t x 4f) SM OS2 G.

## Swiss CE certified ADSS optical cable 8 cores



High-strength FRP-reinforced ADSS fiber optic cable for aerial installation. 25-year warranty, -40°C to +70°C range, ISO/CE certified. Ideal for harsh environments.



AFL-ADSS® (All-Dielectric Self-Supporting) cable is ideal for installation in distribution as well as transmission environments, even when live-line installations are required.



ADSS (All Dielectric Self Supported) cables are designed for aerial installations, especially for use in electrical power lines. As this cable design does not contain any metallic elements and have sheath ...



The "All Dielectric Self-Supporting (ADSS)" cables are designed for aerial self-supporting applications at short, medium and long span distances. ADSS cables offer a rapid and economical means for ...




Outdoor dry core (ADSS) optical fiber Multi Loose Tube cable with aramid yarns as strength member and polyethylene outer jacket. Product feature: This cable has all dielectric and self-supporting ...



The ADSS cable consists of optical fibers coated with an aramid material, which provides mechanical strength and supports high tensions. It is encapsulated in an outer sheath of polyethylene or high ...



Optical fiber cables supplied in compliance with this specification sheet are capable to withstand the typical service condition for a period of thirty (30) years without detriment to the operation ...



Designed and manufactured specifically for aerial installation. Reinforced fiberglass with or without sheathing, providing a robust and resistant structure.



ADSS 8 kN FZOMRMU-SD is an optical fibre cable with 24-96 fibres. ADSS (All-Dielectric Self Supporting) cables are non-metallic so they are free from lightning and overvoltage problems when ...



ADSS cable is a type of fiber optic cable that is strong enough to support itself between structures without containing conductive metal elements. Both single mode and multimode fibers can be ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: [sales@samastersbaseball.co.za](mailto:sales@samastersbaseball.co.za)

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

