

View optical module information using C320



Overview

REST API service for monitoring ZTE C320 OLT devices via SNMP protocol, built with Go. Provides real-time ONU information including status, optical power levels, uptime, and serial numbers across all board/PON combinations. Clone and configure. Discover the fundamental commands essential for navigating and managing the ZTE OLT C320, a reliable optical line terminal widely deployed in telecommunications networks. name Customer-1 description Internet-Customer-1 tcont 1 name. The ZXA10 C320 Optical Access Convergence Equipment (ZXA10 C320 for short) is a 2U-height OLT device, which satisfies the market requirement for small-capacity OLTs. ZTE OLT - Basic commands: Checking Uptime, software version: Show OLT Uptime: Show uplink port: show Vlan summary: Show ONT WAN Configuration: Factory reset the ONT: Reboot the ONT: Power ON the Ethernet port on ONT: Power OFF the Ethernet port on ONT: Show card Slotno 1: show card: Show GPON OLT.

View optical module information using C320

	The document provides instructions and examples for using command line commands to check status, configure and manage ONT devices connected to a ZTE C320 GPON OLT.
	Discover the fundamental commands essential for navigating and managing the ZTE OLT C320, a reliable optical line terminal widely deployed in telecommunications networks.
	Enter configuration commands, one per line. End with CTRL/Z. OLT-ZTE_C320 (config)#pon-onu.
	The ZXA10 C320 Optical Access Convergence Equipment (ZXA10 C320 for short) is a 2U-height OLT device, which satisfies the market requirement for small ...
	GPON the Configuring 2.5 2-8 GPON the Configuring 2.4 2-5 NT T the Configuring 2.3 2-4 N the ...



REST API service for monitoring ZTE C320 OLT devices via SNMP protocol, built with Go. Provides real-time ONU information including status, optical power levels, uptime, and serial numbers across ...



Today we will consider a useful topic, namely, basic commands for OLT maintenance using the ZTE C300/C320/C350 OLT. View the complete interface configuration for the OLT. The result of ...



ZTE OLT - Basic commands: Checking Uptime, software version: Show OLT Uptime: Show uplink port: show Vlan summary: Show OLT WAN Configuration: Factory reset the OLT: ...



The ZXA10 C320 Optical Access Convergence Equipment (ZXA10 C320 for short) is a 2U-height OLT device, which satisfies the market requirement for small-capacity OLTs.



Enter configuration commands, one per line. End with CTRL/Z. Use This for First Level Handling when you get Anomaly Process. Author Description! Get Free Email Updates to your Inbox!



About This Manual Purpose The ZXA10 C320 Optical Access Convergence Equipment (ZXA10 C320 for short) is a 2U-height OLT device, which satisfies the market requirement for small-capacity OLTs.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.samastersbaseball.co.za>

Email: sales@samastersbaseball.co.za

Phone: +27 63 874 2095

Address: 15 Innovation Drive, Technopark, Stellenbosch, 7600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

